



GASTRONORM CONTAINERS

A fully compressive range of sizes and depths and all offer excellent finish and polishing



2/1 STANDARD GN PAN

-size:650x530mm			6 pcs/ctn
code	capacity	CBM	mm
440101	5.5L	0.025	20
440102	12L	0.040	40
440104	21L	0.050	65
440105	30.5L	0.094	100
440106	50L	0.112	150
440107	62L	0.129	200



1/1 STANDARD GN PAN

-size:530x325mm			6 pcs/ctn
code	capacity	CBM	mm
440201	2.5L	0.025	20
440202	5L	0.040	40
440204	21L	0.050	65
440205	30.5L	0.094	100
440206	50L	0.112	150
440207	62L	0.129	200

GASTRONORM CONTAINERS EUROPEAN STYLE

S.S.



2/3



2/3 STANDARD GN PAN

-size:353x325mm 12 pcs/ctn

code	capacity	CBM	mm
440301	1.5	0.018	20
440302	3	0.028	40
440303	5.5	0.036	65
440304	9	0.066	100
440305	13	0.079	150
440306	18	0.092	200

1/2



1/2 STANDARD GN PAN

-size:325x265mm 12 pcs/ctn

code	capacity	CBM	mm
440401	1.0	0.014	20
440402	2.0	0.022	40
440403	4.0	0.028	65
440404	6.5	0.052	100
440405	9.5	0.062	150
440406	12.5	0.072	200

2/4



2/4 STANDARD GN PAN

-size:530x162mm 12 pcs/ctn

code	capacity	CBM	mm
440501	1.2	0.032	20
440502	2.5	0.022	40
440503	4.0	0.028	65
440504	5.8	0.052	100
440505	8.6	0.060	150

1/3



1/3 STANDARD GN PAN

-size:325x176mm 18 pcs/ctn

code	capacity	CBM	mm
440601	0.8	0.014	20
440602	1.5	0.022	40
440603	2.5	0.028	65
440604	4.0	0.052	100
440605	5.7	0.062	150
440606	7.8	0.072	200

1/4



1/4 STANDARD GN PAN

-size:265x162mm 24 pcs/ctn

code	capacity	CBM	mm
440701	0.6	0.014	20
440702	1.2	0.022	40
440703	1.8	0.028	65
440704	2.8	0.052	100
440705	4.0	0.062	150
440706	5.5	0.072	200

1/6



1/6 STANDARD GN PAN

-size:325x265mm 36 pcs/ctn

code	capacity	CBM	mm
440801	1.0	0.028	20
440802	1.6	0.052	40
440803	2.4	0.062	65
440804	3.4	0.072	100

1/9



1/9 STANDARD GN PAN

-size:325x265mm 48 pcs/ctn

code	capacity	CBM	mm
440901	0.6	0.028	65
440902	1.0	0.052	100
440903	2.0	0.062	150





1/1 GN PAN WITH HANDLES

-size:530x325mm 6 pcs/ctn

code	capacity	CBM	depth
448001	14	0.039	100
448002	21	0.050	150
448003	28	0.064	200



2/3 GN PAN WITH HANDLES

-size:353x325mm 12 pcs/ctn

code	capacity	CBM	depth
448101	9	0.066	100
448102	13	0.079	150
448103	18	0.092	200



1/2 GN PAN WITH HANDLES

-size:325x265mm 12 pcs/ctn

code	capacity	CBM	depth
448201	6.5	0.052	100
448202	9.5	0.062	150
448203	12.5	0.072	200



1/3 GN PAN WITH HANDLES

-size:325x176mm 18 pcs/ctn

code	pcs/ctn	CBM	depth
448301	9	0.066	100
448302	13	0.079	150
448303	18	0.092	200



STANDARD GN COVER

code	pcs/ctn	CBM	size
441001	6	0.058	2/1
441002	6	0.030	1/1
441003	12	0.041	2/3
441004	12	0.032	1/2
441005	12	0.032	2/4
441006	18	0.032	1/3
441007	24	0.032	1/4
441008	36	0.032	1/6
441009	48	0.029	1/9



NOTCHED GN COVER

code	pcs/ctn	CBM	size
441101	6	0.058	2/1
441102	6	0.030	1/1
441103	12	0.041	2/3
441104	12	0.032	1/2
441105	12	0.032	2/4
441106	18	0.032	1/3
441107	24	0.032	1/4
441108	36	0.032	1/6
441109	48	0.029	1/9



GN COVER WITH CUTOUT

-for the handles

code	pcs/ctn	CBM	size
441201	6	0.03	1/1
441202	12	0.04	2/3
441203	12	0.03	1/2
441204	18	0.03	1/3



GN PAN COVER WITH SILICONE RIM

- Fitted with silicone rim to provide a nice sealed feature
- Material stainless steel 201 / 304 can meet your specific requirements in every catering occasions
- Thickness 0.7 mm is available, different design of silicone rim to satisfy different markets
- Customized logo/color is available



GN LID WITH SILICONE RIM

code	pcs/ctn	CBM	size
445001	6	0.03	1/1
445002	6	0.04	2/3
445003	6	0.03	1/2
445004	18	0.03	1/3
445005	24	0.03	1/4
445006	36	0.03	1/6



GN LID WITH SILICONE RIM

code	pcs/ctn	CBM	size
445011	6	0.03	1/1
445012	6	0.04	2/3
445013	6	0.03	1/2
445014	18	0.03	1/3
445015	24	0.03	1/4
445016	36	0.03	1/6



**STAINLESS STEEL
GASTRONORM CONTAINERS
US STEAM PAN With Anti-jam**



height(mm)



1/1

1/1 STANDARD GN PAN

-size:530x325mm

6 pcs/ctn

code	capacity	CBM	mm
443101	2.5L	0.009	20
443102	5L	0.017	40
443103	9L	0.021	65
443104	14.0L	0.039	100
443105	21.0L	0.050	150
443106	28.0L	0.064	200



1/2

1/2 STANDARD GN PAN

-size:325x265mm

12 pcs/ctn

code	capacity	CBM	mm
443301	1.0L	0.014	20
443302	2.0L	0.022	40
443303	4.0L	0.028	65
443304	6.5L	0.052	100
443305	9.5L	0.062	150
443306	12.5L	0.072	200





1/3

**1/3 STANDARD GN PAN**

-size: 325x176mm

18 pcs/ctn

code	capacity	CBM	mm
443601	0.8	0.014	20
443602	1.5	0.022	40
443603	2.5	0.028	65
443604	4.0	0.052	100
443605	5.7	0.062	150
443606	7.8	0.072	200

1/4

**1/4 STANDARD GN PAN**

-size: 265x162mm

24 pcs/ctn

code	capacity	CBM	mm
443501	0.6	0.014	20
443502	1.2	0.022	40
443503	1.8	0.028	65
443504	2.8	0.052	100
443505	4.0	0.062	150
443506	5.5	0.072	200

1/6

**1/6 STANDARD GN PAN**

-size: 176x162mm

36 pcs/ctn

code	capacity	CBM	mm
443701	1.0	0.028	65
443702	1.6	0.052	100
443703	2.4	0.062	150
443704	3.4	0.072	200

1/9

**1/9 STANDARD GN PAN**

-size: 176x108mm

48 pcs/ctn

code	capacity	CBM	mm
443801	0.6	0.028	65
443802	1.0	0.052	100
443803	1.6	0.062	150

2/3

**2/3 STANDARD GN PAN**

-size: 353x325mm

12 pcs/ctn

code	capacity	CBM	mm
443201	1.5	0.018	20
443202	3.0	0.028	40
443203	5.5	0.036	65
443204	9.0	0.066	100
443205	13.0	0.079	150
443206	18.0	0.092	200

2/4

**2/4 STANDARD GN PAN**

-size: 530x162mm

12 pcs/ctn

code	capacity	CBM	mm
443401	2.5	0.032	40
443402	4.0	0.022	65
443403	5.8	0.028	100
443404	8.6	0.052	150



With spoon recess

NOTCHED STANDARD COVER

Option of a standard or notched cover

S.S.

code	Pcs/Ctn	CBM	Description
444901	6	0.058	GN 2/1 Notchen Cover
444902	6	0.030	GN 1/1 Notchen Cover
444903	12	0.041	GN 2/3 Notchen Cover
444904	12	0.032	GN 1/2 Notchen Cover
444905	12	0.032	GN 2/4 Notchen Cover
444906	18	0.032	GN 1/3 Notchen Cover
444907	24	0.032	GN 1/4 Notchen Cover
444908	36	0.032	GN 1/6 Notchen Cover
444909	48	0.029	GN 1/9 Notchen Cover



STANDARD COVER

Wide selection of gastronorm containers and covers

S.S.

code	Pcs/Ctn	CBM	Description
444801	6	0.030	GN 1/1 Cover 1/1
444802	12	0.041	GN 2/3 Cover 2/3
444803	12	0.032	GN 1/2 Cover 1/2
444804	12	0.032	GN 2/4 Cover 2/4
444805	18	0.032	GN 1/3 Cover 1/3
444806	24	0.032	GN 1/4 Cover 1/4
444807	36	0.032	GN 1/6 Cover 1/6
444808	48	0.029	GN 1/9 Cover 1/9



STANDARD COVER

Wide selection of gastronorm containers and covers

S.S.

code	Pcs/Ctn	CBM	Dimension	Description
441010	6	0.030	1/1	GN 1/1 Cover
441011	12	0.041	2/3	GN 2/3 Cover
441012	12	0.032	1/2	GN 1/2 Cover
441013	12	0.032	2/4	GN 2/4 Cover
441014	18	0.032	1/3	GN 1/3 Cover
441015	24	0.032	1/4	GN 1/4 Cover
441016	36	0.032	1/6	GN 1/6 Cover
441017	48	0.029	1/9	GN 1/9 Cover



**STAINLESS STEEL
GASTRONORM CONTAINERS**
US STEAM PAN With w/o Anti-jam



1/1

1/1 STANDARD GN PAN

-size:530x325mm 6 pcs/ctn

code	capacity	CBM	mm
444101	2.5L	0.009	20
444102	5.0L	0.017	40
444103	9.0L	0.021	65
444104	14.0L	0.039	100
444105	21.0L	0.050	150
444106	28.0L	0.064	200



1/2

1/2 STANDARD GN PAN

-size:325x265mm 12 pcs/ctn

code	capacity	CBM	mm
444201	1.0L	0.014	20
444202	2.0L	0.022	40
444203	4.0L	0.028	65
444204	6.5L	0.052	100
444205	9.5L	0.062	150
444206	12.5L	0.072	200



1/3

1/3 STANDARD GN PAN

-size:325x176mm 18 pcs/ctn

code	capacity	CBM	mm
444301	0.8L	0.014	20
444302	1.5L	0.022	40
444303	2.5L	0.028	65
444304	4.0L	0.052	100
444305	5.7L	0.062	150
444306	7.8L	0.072	200



1/4 STANDARD GN PAN

-size:265x162mm 24 pcs/ctn

code	capacity	CBM	mm
444101	2.5L	0.009	20
444102	5.0L	0.017	40
444103	9.0L	0.021	65
444104	14.0L	0.039	100
444105	21.0L	0.050	150
444106	28.0L	0.064	200



1/6 STANDARD GN PAN

-size:176x162mm 36 pcs/ctn

code	capacity	CBM	mm
444501	1.0L	0.028	65
444502	1.6L	0.052	100
444503	2.4L	0.062	150
444504	3.4L	0.072	200



1/9 STANDARD GN PAN

-size:176x108mm 48 pcs/ctn

code	capacity	CBM	mm
444601	0.6L	0.026	65
444602	1.0L	0.047	100
444603	1.6L	0.057	150



1/18 STANDARD GN PAN

-size:108x88mm 36 pcs/ctn

code	CBM	mm
444701	0.012	80
444702	0.014	100



**1/6 STANDARD GN PAN
WITH HAND SHANK**

-size:176x162mm 36 pcs/ctn

code	capacity	CBM	mm
445101	1.0L	0.076	176x162x65
445102	1.6L	0.109	176x162x100



COFFEE RESIDUE KNOCK BOX

-size:1/6 24 pcs/ctn

code	CBM	mm
442101	0.076	1/6x100
442102	0.110	1/6x150



PERFORATED STANDARD GN PAN



1/1

PERFORATED STANDARD GN PAN

-size:530x325mm

6 pcs/ctn

code	capacity	CBM	mm
445301	2.5L	0.009	20
445302	5.0L	0.017	40
445303	9.0L	0.021	65
445304	14.0L	0.039	100
445305	21.0L	0.050	150
445306	28.0L	0.064	200



2/3

PERFORATED STANDARD GN PAN

-size:353x325mm

12 pcs/ctn

code	capacity	CBM	mm
445601	1.5L	0.018	20
445602	3.0L	0.028	40
445603	5.5L	0.036	65
445604	9.0L	0.066	100
445605	13.0L	0.079	150
445606	18.0L	0.092	200



1/2

PERFORATED STANDARD GN PAN

-size:353x265mm

12 pcs/ctn

code	capacity	CBM	mm
445401	1.0L	0.014	20
445402	2.0L	0.022	40
445403	4.0L	0.028	65
445404	6.5L	0.052	100
445405	9.5L	0.062	150
445406	12.5L	0.072	200




1/3

PERFORATED STANDARD GN PAN

-size:325x176mm

18 pcs/ctn

code	capacity	CBM	mm
445501	0.8L	0.062	20
445502	1.5L	0.022	40
445503	2.5L	0.028	65
445504	4.0L	0.052	100
445505	5.7L	0.062	150
445506	7.8L	0.072	200



TRIANGLE STRAINER

code	Pcs/Ctn	CBM	mm
445701	10	0.008	230x385x60



PERFORATED STANDARD GN PAN

18 pcs/ctn

code	size	CBM	mm
448701	473x264x15	0.016	1/1 dripping tray
448702	298x264x15	0.010	2/3 dripping tray
448703	264x208x15	0.008	1/2 dripping tray
448704	279x133x150	0.005	1/3 dripping tray





PC/PP GN PAN

- Features good fresh keeping
- Durable construction makes no deforming, no hollowing and no cracking. Smooth interior makes
- clean up easy. with stands temperatures from -40°C to 99°C (-40°F - 210°F)
- Colour: Clear, Black.



Clear And Smooth Surface
Ensure overall view to the content
and easy clean.

Textured Bottom
Textured bottom prevents scratches and improves
durability.

Capacity Mark
Capacity indicators at the sides of pan are listed in
liters. Allow easy measure and capacity control.




Flat Lid

Extra convenience of visibility



Notch Lid

U shape of notch lid makes
it easy for ladle or spoon access



Drain Shelf

Support products and
promote drainage.



PP Lid

sealed cover



1/1

1/1 PC GN PAN

code	capacity	CBM	pcs/ctn	mm
448101	6	0.145	24	530x325x65
448102	12	0.194	24	530x325x100
448103	18	0.219	24	530x325x150
448104	24	0.237	24	530x325x200
448105	-	0.078	40	530x325x25
448106	-	0.078	40	530x325x25
448107	-	0.025	40	465x260x14



1/2

1/2 PC GN PAN

code	capacity	CBM	pcs/ctn	mm
448201	3	0.102	40	326x265x65
448202	5	0.102	24	326x265x100
448203	8	0.115	24	326x265x150
448204	11	0.115	24	326x265x200
448205	-	0.089	84	326x265x25
448206	-	0.089	84	326x265x25
448207	-	0.011	20	260x200x14



1/3

1/3 PC GN PAN

code	capacity	CBM	pcs/ctn	mm
448301	2	0.067	36	325x176x65
448302	3	0.085	36	325x176x100
448303	5	0.078	24	325x176x150
448304	6	0.089	24	325x176x200
448305	-	0.047	54	325x176x25
448306	-	0.047	54	325x176x25
448307	-	0.023	80	260x110x14



1/4

1/4 PC GN PAN

code	capacity	CBM	pcs/ctn	mm
448401	1.5	0.067	48	265x162x65
448402	2.1	0.061	36	265x162x100
448403	3.1	0.078	32	265x162x150
448404	-	0.047	76	265x162x25
448205	-	0.047	76	325x176x25
448206	-	0.009	40	204x100x14



1/6

1/6 PC GN PAN

code	capacity	CBM	pcs/ctn	mm
448501	0.5	0.067	72	176x162x65
448502	1.1	0.061	48	176x162x100
448503	1.6	0.078	48	176x162x150
448504	-	0.047	140	176x162x25
448505	-	0.047	140	176x162x25
448506	-	0.014	120	113x100x14



1/9

1/9 PC GN PAN

code	capacity	CBM	pcs/ctn	mm
448601	0.5	0.047	72	176x108x65
448602	0.75	0.061	72	176x108x100
448603	-	0.047	240	176x108x15
448604	-	-	-	176x108x15



1/1



1/1 PP GN PAN

code	capacity	CBM	pcs/ctn	mm
803001	6	0.066	12	530x325x65
803002	12	0.090	12	530x325x100
803003	18	0.107	12	530x325x150
803004	24	0.157	12	530x325x200
803005	-	0.067	24	530x325x25
-	-	-	-	530x325x25
803007	-	0.025	20	465x260x14
-	-	-	-	-

1/2



1/2 PP GN PAN

code	capacity	CBM	pcs/ctn	mm
803011	3	0.066	24	326x265x65
803012	5	0.080	24	326x265x100
803013	8	0.053	12	326x265x150
803014	11	0.062	12	326x265x200
803015	-	0.067	47	326x265x25
-	-	-	-	326x265x25
803017	-	0.025	20	260x200x14
-	-	-	-	-

1/3



1/3 PP GN PAN

code	capacity	CBM	pcs/ctn	mm
803021	2	0.043	24	325x176x65
803022	3	0.055	24	325x176x100
803023	5	0.069	24	325x176x150
803024	6	0.041	12	325x176x200
803025	-	0.066	72	325x176x25
-	-	-	-	325x176x25
803027	-	0.023	80	260x110x14

1/4



1/4 PP GN PAN

code	capacity	CBM	pcs/ctn	mm
803031	1.5	0.049	36	265x162x65
803032	2.1	0.062	36	265x162x100
803033	3.1	0.053	24	265x162x150
803035	-	0.050	72	265x162x25
-	-	-	-	325x176x25
803036	-	0.009	40	204x100x14

1/6



1/6 PP GN PAN

code	capacity	CBM	pcs/ctn	mm
803041	0.5	0.032	36	176x162x65
803042	1.1	0.057	48	176x162x100
803043	1.6	0.043	24	176x162x150
803044	-	0.032	72	176x162x25
-	-	-	-	176x162x25
803046	-	0.014	120	113x100x14

1/8



1/8 PP GN PAN

code	capacity	CBM	pcs/ctn	mm
803051	0.5	0.044	72	176x108x65
803052	0.75	0.057	72	176x108x100
803083	-	0.015	72	176x108x15
-	-	-	-	176x108x15



PC/PP GN PAN

- PC Black Food Pan Store your fresh-made marinara, tartar sauce, and fresh-cut veggies, right on the prep line.
- Featuring a sleek black color that's sure to add a professional edge to your back-of-house, this food pan makes the ideal addition to upscale pizzerias, restaurants, and even catered events.
- Use it to hold chopped nuts, sprinkles, and other ice cream toppings at your ice cream shop, or for housing pepperoni at your pizzeria.

1/1



1/1 PC BLACK GN PAN

code	capacity	CBM	pcs/ctn
802001	6	0.066	12
802002	12	0.090	12
802003	18	0.107	12
802004	24	0.157	12
802005	-	0.067	24
802006	-	0.066	24
802007	-	0.025	20

1/2



1/2 PC BLACK GN PAN

code	capacity	CBM	pcs/ctn
802011	3	0.066	24
802012	5	0.080	24
802013	8	0.053	12
802014	11	0.062	12
802015	-	0.066	48
802016	-	0.066	48
802017	-	0.025	20

1/3



1/3 PC BLACK GN PAN

code	capacity	CBM	pcs/ctn
803021	2	0.043	24
803022	3	0.055	24
803023	5	0.069	24
803024	6	0.042	12
803025	-	0.066	72
803026	-	0.066	72
803027	-	0.023	80

1/4



1/4 PC BLACK GN PAN

code	capacity	CBM	pcs/ctn
802031	1.5	0.049	36
802032	2.1	0.062	36
802033	3.1	0.053	24
802034	-	0.050	72
802035	-	0.050	72
802036	-	0.009	40

1/6



1/6 PC BLACK GN PAN

code	capacity	CBM	pcs/ctn
802041	0.5	0.032	36
802042	1.1	0.057	48
802043	1.6	0.043	24
802044	-	0.033	72
802045	-	0.033	72
802046	-	0.014	120

1/9



1/9 PC BLACK GN PAN

code	capacity	CBM	pcs/ctn
802051	0.5	0.044	72
802052	0.75	0.057	72
802083	-	0.015	72
802054	-	0.015	72



1/1



1/1 GN PAN WITH NON-STICK COATING

-size:530x325mm

6 pcs/ctn

code	capacity	CBM	mm
449101	2.5	0.009	20
449102	5	0.017	40
449103	9	0.021	65

1/2



1/2 GN PAN WITH NON-STICK COATING

-size:325x365mm

12 pcs/ctn

code	capacity	CBM	mm
449301	1.0	0.014	20
449302	2.0	0.022	40
449303	4.0	0.028	65



1/4 GN PAN WITH NON-STICK COATING

-size:265x162mm

24 pcs/ctn

code	capacity	CBM	mm
449501	0.6	0.014	20
449502	1.2	0.022	40
449503	1.8	0.028	65



1/9 GN PAN WITH NON-STICK COATING

-size:176x108mm

48 pcs/ctn

code	capacity	CBM	mm
449701	0.6	0.028	65
449702	1.0	0.052	100
449703	2.0	0.062	150

2/3



2/3 GN PAN WITH NON-STICK COATING

-size:353x325mm

12 pcs/ctn

code	capacity	CBM	mm
449201	1.5	0.018	20
449202	3.0	0.028	40
449203	5.5	0.036	65

1/3



1/3 GN PAN WITH NON-STICK COATING

-size:325x176mm

18 pcs/ctn

code	capacity	CBM	mm
449401	0.8	0.014	20
449402	1.5	0.022	40
449403	2.5	0.028	65



1/6 GN PAN WITH NON-STICK COATING

-size:176x162mm

36 pcs/ctn

code	capacity	CBM	mm
449601	1.0	0.028	20
449602	1.6	0.052	40
449603	2.4	0.062	65



ENAMEL GN PAN

- Iron&Enamel
- Antirust
- High temperature resistance
- Safe and non-toxic after high temperature
- Easy to clean after baking

1/1

1/1 STANDARD GN PAN

code	capacity	CBM	mm
440201E	2.5	0.009	530x325x20
440203E	5	0.012	530x325x65



440203E



440201E



2/3

2/3 STANDARD GN PAN

code	capacity	CBM	mm
440201E	2.5	0.009	530x325x20
440203E	5	0.012	530x325x65



1/2

1/2 STANDARD GN PAN

code	capacity	CBM	mm
440201E	2.5	0.009	530x325x20
440203E	5	0.012	530x325x65



WATER TRANSFER SERVING TROLLEY

- Material stainless steel 201/ 430 are available
- Thickness:0.6/0.8 mm
- Qty/ctn:1pcs
- Flatpack delivery

code	CBM	mm
102010	0.079	845x525xH940
102011	0.064	805x460xH900
102012	0.052	705x405xH810

S.S.




2x
SWIVEL CASTORS
WITH BRAKE


LOW
NOISE LEVEL



bamboo pattern color



wood grain pattern color



dark wood grain pattern color



-Nice quality TPR wheels



-Tightly connected between tube and trays



-Customized color

WATER TRANSFER SERVING TROLLEY

- Made of stainless steel
- Water transfer printing technology
- Max. load capacity: 50kg/per shelf
- Include 4 TPR castors, dia.100mm, 2 with brakes
- with plastic bumper to protect the corner
- Flatpack delivery



2-TIER WATER TRANSFER SERVING TROLLEY

code	CBM	mm
102301	0.079	845x525xH940
102302	0.064	805x460xH900
102303	0.052	705x405xH810



WATER TRANSFER SERVING TROLLEY

- Made of stainless steel 201 or 430
- Water transfer printing technology, customized color available
- Mute damper underneath the tray, less noise level
- Max. load capacity: 50kg/per shelf
- Include 4 TPR castors, dia.100x27(D)mm, 2 with brakes
- with plastic bumper to protect the corner
- Especially for the hotel, restaurant, buffet, parties
- Flatpack delivery

code	CBM	mm
102201	0.079	845x525xH940
102202	0.064	805x460xH900
102203	0.052	705x405xH810

3-TIER WATER TRANSFER SERVING TROLLEY (Single handle)

- Made of stainless steel 201 or 430
- Water transfer printing technology, customized color available
- Mute damper underneath the tray, less noise level
- Max. load capacity: 50kg/per shelf
- Fitted with 3 shelves, wooden color, single handle
- Include 4 TPR castors, dia. 100x27(D)mm, 2 with brakes
- with plastic bumper to protect the corner
- Especially for the hotel, restaurant, buffet, parties
- Flatpack delivery

code	CBM	mm
102101	0.079	845x525xH940
102102	0.064	805x460xH900
102103	0.052	705x405xH810

NEW



WIRE BASKET TROLLEY

- Product size: 508*610*H914mm
- Tube: ϕ 19, 1mm thickness
- Work table top: SS443, 0.8mm thickness
- Wire: ϕ 5.0/4.0/2.5mm $\pm$ 0.2mm
- Wheels: 3" TPR



code	mm
105602	508x610xH914



NEW



GN PAN TROLLEY

- Product size: 815x530xH940mm
- Suitable for 12 pieces 1/6 GN pan in one layer
- Tube: SS201, 25.4x25.4x0.8mm
- Board: SS201, 0.8mm thickness
- Packing size: 845x570xH110mm



code	mm
105502	815x530xH940



FOLDABLE TROLLEY

- Material:SS201+PP+TPR
- 3 or 4 shelves design,the shelf distance is 2pcm
- Folded structure could help you to save space
- Portable carrying, especially could put in your car easily
- Plastic tray without any smells,with a long ierving life

NEW



Suitable for 50x50 glass rack

3 TIERS / SHELVES


code	CBM	mm
102102	0.150	640x410xH930
102103	0.210	930x510xH930

4 TIERS / SHELVES

code	CBM	mm
102104	0.280	930x510xH1196



- Supporting bar underneath the tray, which could make the structure more stable
- Smooth plastic handle
- Each tray with profile edge




- Fully folded view
- with the stop brake
- 3-Tier cart fully folded dirmensions:93x20.5xH110cm



- Fully folded structure could be packed in the cart for outdoor activities using
- Portable and flexible

FOLDABLE TROLLEY

- Material:SS201;
- Folded structure could help you to save space
- Suitable for the hotel ,restaurant , outdoor or parties
- Assembly delivery could save your time for immediately use-Easy to operate
- Outstanding loading capacity, max loading 250kg-TPR wheels,2 with brakes



NEW

FOLDABLE TROLLEY

code	CBM	mm
102101	0.135	635x401xH960
102102	0.194	885x501xH960



ROUND TUBE SERVING TROLLEY

- Material : SS201 / SS430 / SS304 is available
- Tray thickness:0.5/ 0.6 / 0.8mm,Tube thickness:0.6 / 0.8mm
- Brushed polished surface
- Knocked-down or sold welding structure is by your choice
- Max. load capacity: 50kg/per shelf
- Fitted with 4 PCS TPR swivel castors, 2 with brakes, can stop on the slope
- Flat pack delivery



2-TIERS S/S TROLLEY

- Round tube structure
- There's mute damper underneath the tray
- With the corner protectors
- Max loading 100kg,50kg per shelf

code	CBM	mm
101001	0.094	1040x625xH1030
101002	0.062	845x525xH940
101003	0.050	805x460xH900
101004	0.041	705x405xH810



3-TIERS S/S TROLLEY

- Material: SS201/SS430/SS304
- Max loading capacity 150kg,50kg each shelf

code	CBM	mm
101101	0.119	1100x600xH1200
101102	0.079	845x525xH940
101103	0.064	805x460xH900
101104	0.053	705x405xH810

4-TIERS S/S TROLLEY

- Fitted with 4 shelves
- Especially for hotel, restaurant, lab, kitchen, library used
- Max loading capacity 200kg,50kg each shelf

code	CBM	mm
101201	0.124	845x525xH1240
101202	0.100	805x460xH1180
101203	0.079	705x405xH1070

PERFORMANCE OPTIMIZATION ROUND TUBE SERVING TROLLEY

- Keep the same product dimension and the appearance
- The improved structure to save more than 28% packaging CBM
- Smaller packing size to offer a greater cost performance

S.S.



2x
SWIVEL CASTORS
WITH BRAKE


LOW
NOISE LEVEL




NEW



NEW PACKING



860*555*235mm




Packing accessories

CBM
Save
about
28%

OLD PACKING



1710*555*165mm



Packing accessories

VS





-Tightly connected between tube and tray



-With 4pcs TPR swivel castors ,dia.
100x27mm,2 with brakes
-With impact protection

TROLLEY W/O HANDLES



code	CBM	mm
101401	0.062	845x525xH800
101402	0.052	805x460xH755
101403	0.041	705x405xH690

BEVERAGE TROLLEY

- Material:SS201,0.8mm thickness
- Both tray with the mute damper
- Max loading capacity 100kg,50kg each shelf-Qty/ctn: 1pcs
- with side support bars
- Round stainless steel tube structure
- Sound deadening castors with bumpers and two brakes
- TPR wheels, soft texture and low noise,can fully stop at the 10-15degree slope
- Flat pack delivery



code	CBM	mm
101801	0.062	845x525xH945
101802	0.050	805x460xH905
101803	0.039	705x405xH805





CLEARING TROLLEY

- Material Stainless steel 201f 430 is available
- Tube thickness : 0.8mm
- Packing size:860x555x140mm (L),820x485x140mm(M) , 720x435x140mm(S)
- Flat pack delivery



code	CBM	mm
101501	0.067	850x525xH945
101502	0.056	805x460xH905
101503	0.044	705x405xH805



CLEARING TROLLEY

- Material Stainless steel 201/ 430 is available
- Tube thickness : 0.8mm
- Fitted with 1pcs tray and 1pcs deep tray
- Max loading 100kg,50kg/shelf
- Qty/ctn:1pcs
- Packaging: each tray packs in 1 poly bag, each tube packs in poly bag
- Flat pack delivery



code	CBM	mm
101601	0.062	845x525xH940
101602	0.051	805x460xH900
101603	0.040	705x405xH810



CLEARING TROLLEY

- Material Stainless steel 201/ 430 is available
- Tube thickness : 0.8mm
- Fitted with 1pcs tray and 1pcs deep tray
- Max loading 100kg,50kg/shelf
- Qty/ctn:1pcs
- Packaging: each tray packs in 1 poly bag, each tube packs in poly bag
- Flat pack delivery



code	CBM	mm
101701	0.079	860x525xH940
101702	0.066	810x460xH900
101703	0.052	740x405xH810





2-TIERS SQUARE TUBE TROLLEY

- Fitted with square tubes and 2 trays
- With f without the protective bumper is available

code	CBM	mm
100101	0.074	950x500xH940
100102	0.058	850x450xH895
100103	0.049	750x400xH840



4-TIERS SQUARE TUBE TROLLEY

- Material stainless steel 201/430 / 304 are available
- Qty/ctn: 1pcs, flatpack delivery

code	CBM	mm
100401	0.110	950x500xH1255
100402	0.093	850x450xH1175
100403	0.075	750x400xH1140



- Mute damper, less noise level



- Swivel castors with brakes, tight connection between tubes and trays



- Triangle board for supporting heavy loading

3-TIERS SQUARE TUBE TROLLEY

- Material stainless 201 / 430 are available
- Designed to use the 25x25mm square tube
- Fitted with 4 castors while 2 with brakes
- Qty/ctn: 1pcs
- Flatpack delivery

code	CBM	mm
100201	0.074	950x500xH940
100202	0.058	850x450xH895
100203	0.049	750x400xH840



BEVERAGE TROLLEY

- Square tube style
- Suitable for the hotel , kitchen , salons ,restaurants for transferring
- Fitted with the protective bars and to prevent the barrels / articles for dropping
- With plastic bumper to protect the corner for crashing
- Fitted with 4 swivel castors,2 with brakes
- Tight connection between the tubes and the trays
- Max loading capacity total 100kg,50kg l shelf
- Brushed polishing surface



code	CBM	mm
100501	0.077	950x500xH955
100502	0.061	850x450xH905
100503	0.045	750x400xH855



KETTLE TROLLEY

- Material stainless steel 201f 430 can be met
- No sharp burrs and smooth edge
- Fitted with 3 trays, one tray is with 8holes for packing the kettles
- Qty/ctn: 1pcs
- Flat pack delivery



code	CBM	mm
100601	0.077	950x500xH945
100602	0.061	850x450xH895
100603	0.045	750x400xH840



SEASONING TROLLEY

- Material stainless steel 201/ 430 are available
- Fitted with small size, suitable for the restaurant use
- Qty/ctn : 1pcs
- Flat pack delivery




code	CBM	remark	mm
100801	0.024	3 tiers / shelves	625x305xH785
100802	0.026	3 tiers / shelves	480x305xH785
100901	0.030	4 tiers / shelves	625x305xH785
100902	0.036	4 tiers / shelves	480x305xH785





CLEARING TROLLEY

- Fitted with 2 square tubes and 2 deep trays
- Dimension of the tray:
L size—900x500x100mm,inside—850x450x95mm
M size—80x450x100mm,inside—800x400x95mm
S size—700x400x100mm,inside—700x350x95mm
- Material stainless steel 201 or 430 or 304 is available
- Qty/ctn:1pcs
- Flat pack delivery



code	CBM	mm
100701	0.073	950x500xH945
100702	0.057	850x450xH905
100703	0.042	750x400xH855



COLLECTING TROLLEY

- Fitted with 5 square tubes and 5 stainless steel boards
- 2 S/S board was welding on the square tube,the lowest shelf was a slope in order to prevent goods from sliding
- Material: stainless steel 201
- Thickness: 0.8mm
- With plastic bumper to protect the corner
- Include 4 TPR swivel castors, 2 with brakes
- Especially for packing the GN pan, fast food tray, plates and other goods



code	CBM	mm
100904	0.216	975x515xH800



CLEARING TROLLEY

- Fitted with 4 square tubes and 4 stainless steel boards
- Material: stainless steel 201
- Thickness: 0.8mm
- With plastic bumper to protect the corner
- Include 4 TPR swivel castors,2 with brakes
- Especially for packing the GN pan, fast food tray, plates and other goods



code	CBM	mm
100903	0.162	975x515xH800



Z-TYPE SQUARE TUBE CATERING TROLLEY

- Material stainless steel 201
- Knocked-down / stable structure
- Suitable for transferring 1pcs 2/1 GN, 2PC5 1/1 GN, 4pcs 2/4 GN



code	qty/ctn	mm
104502	1	705x555xH860



100906

Z-TYPE SQUARE TUBE TROLLEY



code	CBM	remark	mm
100906	1	2 tiers / shelves	900x495xH955



100907

Z-TYPE SQUARE TUBE TROLLEY



code	CBM	remark	mm
100907	1	2 tiers / shelves	900x495xH955



WIRES TROLLEY

- Material: Acero carbono+Chromium plating
- Max loading capacity: 50kg /shelf
- Fitted with 2 or 3 shelves
- Knocked-down structure, without using any screws
- with 4 TPR swivel castors, 2 with brakes
- Flat pack delivery



code	CBM	remark	mm
103001	0.127	2 tiers / shelves	900x450xH1050
103002	0.163	3 tiers / shelves	900x450xH1050





RED WINE TROLLEY

- Material: stainless steel 201
- packing size: 450x820xH300mm
- Qty/ctn: 1pcs
- Suitable for 24pcs wines



code	CBM	mm
140403	0.1107	800x400xH800



PLATES COLLECTING TROLLEY

- Material : stainless steel 201 or 430 are available
- Packing size : 800x580xH140mm
- Qty/ctn: 1pcs
- Max loading 100kg



code	CBM	mm
141101	0.065	610x450xH900



141201



141301



141302



CUTLERY CART /HOLDER

code	CBM	mm
141201	0.049	536x510xH1055



CUTLERY CART /HOLDER

code	CBM	mm
141301	0.025	536x510xH330



CUTLERY CART /HOLDER

code	CBM	mm
141401	0.044	536x510xH580





- Fitted with the single round tube as the handle
- Easy to carry and touch comfortable
- Enough stable to support carrying in thousands of times



- Thick stainless steel board with holes
- Easy to clean and keep dry
- Strong tube and tray design for carrying/transferring Heavy duty works
- Screws to assembly and fasten the tray



- Table-top with the thick non-fumigation wooden board, smooth and flat surface
- Stable and strong designed for supporting heavy duty works on it.

COLLECTING TROLLEY

code	CBM	mm
100910	0.079	556x856xH860



-Round smooth handle



-Front view

COLLECTING TROLLEY

- Material: Be made of stainless steel 201
- Fitted with 3 trays and 4 swivel castors wheels
- Trays with profile edges
- TPR wheels, dia.100x27mm, 2 with brakes
- Max loading capacity is 150kg, 50kg each shelf
- Qty/ctn: 1pcs
- Flat pack delivery



code	CBM	mm
100905	0.065	800x450xH935



3 TIER WITH COLOURFUL TRAYS

- Material stainless 201/ 430 are available
- Designed to use the 25x25mm square tube
- Fitted with 4 castors while 2 with brakes
- Qty/ctn:1pcs
- Flatpack delivery



code	CBM	mm
100301	0.074	950x500xH945
100302	0.058	850x450xH895
100303	0.049	750x400xH840



-Card slot for locating the GN pan



-Connected by screws
between shelf and tube

3 TIER WITH COLOURFUL TRAYS


- Material stainless 201/ 430 are available
- Designed to use the 25x25mm square tube
- Fitted with 4 castors while 2 with brakes
- Qty/ctn: 1pcs
- Flatpack delivery



code	CBM	mm
100301	0.074	950x500xH945
100302	0.058	850x450xH895
100303	0.049	750x400xH840



-Knocked-down structure



-Card slot for locating the GN

STORAGE RACK FOR GN PANS

- Material: Made of Stainless steel 201
- Fitted with 2 shelves, it consists of 2 single rack and connects by fastening the screws
- Suitable for packing the GN pan for storage, airing after washing
- Suitable for packing the GN 2/1, 1/1, 1/2, 2/3
- Especially for the kitchen, hotel using
- Qty/ctn: 1pcs
- Flat pack delivery



code	CBM	mm
140505	0.064	600x550xH1155




PLATE STORAGE

- Material: Made of Stainless steel 201
- Suitable for packing the GN pan for storage, airing after washing
- Suitable for packing the GN 2/1, 1/1 1/2, 2/3
- Especially for the kitchen, hotel using
- Qty/ctn: 1pcs
- Flat pack delivery



code	CBM	mm
140504	0.037	600x550xH600



PLATE STORAGE

- Material: made of stainless steel 201
- Suitable for 40 pcs plates
- Plates size in diameter 20cm-23cm is available
- Knocked-down structure
- Wall mounted plates rack
- Qty/ctn: 1pcs
- Packing size:1025x.280x155mm
- Flat pack delivery



code	CBM	mm
150501	0.040	1000x255xH500



PLATE STORAGE TROLLEY

- Material: made of stainless steel 201
- Suitable for 120 pcs plates
- Plates size in diameter 20cm-23cm is available
- Knocked-down structure
- Fitted with 6pcs plates racks
- Qty/ctn: 1pcs
- packing size:1230x685x200mm-Flat pack delivery



code	CBM	mm
150501	0.040	1000x255xH500



RACK TROLLEY



TRANSPORT



- Designed to pack GN and transport them
- Suitable for GN sizes 2/1,1/1,1/2,1/3,2/3 in 65mm depth
- PVC/TPR wheels are available 2 with brakes
- M shape layers, its construction is enough strong to support 15kg/shelf
- Stop lever at diagonal sides, to avoid the pans sliding out

Runner Option:  
M Shape Small L



6-TIER RACK TROLLEY



code	mm
111701	380x550x950
111702	590x670x950

GN RACK TROLLEY WITH TABLE TOP



code	mm
111601	380x550x950
111602	380x550x950
111603	590x670x950
111604	590x670x950



6-TIER DUAL-ROW GN RACK TROLLEY (111801) 7-TIER DUAL-ROW GN RACK TROLLEY (111901)



code	CBM	mm
111801	0.064	740x550xH950
111901	0.079	740x670xH950

GN RACK DUAL-ROW TROLLEY WITH TABLE TOP



code	CBM	mm
111401	0.064	740x550xH950
111501	0.079	740x670xH950





PERFORMANCE OPTIMIZATION

- Keep the same product dimension and the appearance
- The improved structure to save more than 28% packaging CBM
- Smaller packing size to offer a greater cost performance

Retractable design 16-tier 1/1 GN trolley


code	CBM	mm
160401	0.124	845x525xH1240
160501	0.100	805x460xH1180
160601	0.079	705x405xH1070



NEW



**18-TIERS
NEW PACKING**



930*775*170mm



Packing accessories

CBM
Save
about
25%

VS

**18-TIERS
OLD PACKING**



1710*620*90mm




Packing accessories

- Gastronome trolleys ideal for a wide range of food transport, serving and storage tasks within the catering industry.
- 100% avoid rails-dropping by strong spot welding.
- Fitted with GN sizes 1/1, 1/2, 2/3, 1/3 and 2/1 from 6 tiers to 20 tiers. - Single or double row designs will meet your different demands
- Stable layers option for supporting heavy duty service, max loading 15kg/shelf-Tray locks on either side for anti-sliding the pans
- Smooth edge of each bars caring your hand
- Fitted with 4 pcs TPR / PVC swivel castors, 2 with brakes



-The layers was welded on the tubes,suitable for the GN pan



-Stop lever for preventing pans from slipping off



-Bending square tube as the mainly frame



-Connection between tubes



160101-160201



112001-112201



112401-112501

Runner Option:  M Shape  Small L

15-TIER DUAL-ROW GN RACK TROLLEY 16-TIER DUAL-ROW GN RACK TROLLEY



code	CBM	mm
160101	0.132	740x550xH1700
160201	0.132	740x550xH1700

1/1 GN RACK TROLLEY 2/1 GN RACK TROLLEY



code	CBM	mm
112001	0.092	380x550xH1700
112101	0.092	380x550xH1700
112201	0.095	385x555xH1750
112401	0.109	590x670xH1700
112501	0.109	590x670xH1700





GN & BAKING 2 IN 1 SHELF CART

- Material: Stainless steel 201
- Special layer design for 1/1 GN pans and 40x60cm baking trays
- Tiers with stop ridge, width 15mm
- Distance between tiers: 75mm
- Payload: max.150kg
- Customized height to meet different occasions
- Fitted with four castors of which have two brakes .
- Extra heavy construction
- Delivered in a carton, flat packed



code	CBM	mm
110410	0.162	465x620xH1735




GN & BAKING 2 IN 1 SHELF CART

- Material: Stainless steel 201
- Special layer design for 1/1 GN pans and 40x60cm baking trays
- Tiers with stop ridge, width 15mm
- Distance between tiers: 75mm
- Payload: max.150kg
- Customized height to meet different occasions
- Fitted with four castors of which have two brakes .
- Extra heavy construction
- Delivered in a carton, flat packed



code	CBM	mm
110411	0.087	465x620xH1000



- Special layers design, suitable for GN pan and baking tray
- Smooth edge of the layers, without any sharp burs , safety for used.
- Each size with stop lever for preventing pans from slipping off

Z-TYPE SHELF CART

- In order to save space during storage trolleys can be pushed into one another.
- GN 1/1with 15 layers- inters paced at 80mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Flat pack delivery.

code	CBM	mm
110301	0.085	380x550x1700
110302	0.107	590x670x1700
110303	0.110	470x620x1700



Runner Option:



110303




110301



-Spot welding layers and the stop lever



-Stackable structure for space saving



-Stackable structure for space saving



BAKERY RACK TROLLEY

- In order to pack and storage the baking pans
- Tray locks on either side.
- Max loading 150kg
- Smooth edge without sharp burs , safety for used
- Customized height from 12 tiers to 20 tiers
- Layers fixed on the tube by strong spot welding , stable and durable
- Fitted with four castors of which two have brakes.
- 15-tier,for 15pcs 40x60 pans



code	CBM	mm
110101	0.146	620x820xH1700
110102	0.113	470x620xH1700

Runner Option:



18-TIER BAKERY TROLLEY

- In order to pack and storage the baking pans
- Max loading 150kg
- Smooth edge without sharp burs , safety for used
- Customized height from 12 tiers to 20 tiers
- Fitted with four castors of which two have brakes.
- Flat pack delivery.



code	CBM	mm
110411	0.158	1200x800xH1800



code	CBM	mm
111412	0.717	550x738xH1725

Runner Option:



M Shape



Small L



code	CBM	mm
190202	0.457	900x620xH800



16-TIER ROTARY OVEN TROLLEY

- In order to pack and storage the baking pans
- Tray locks on either side.
- Max loading 150kg
- Smooth edge without sharp burs , safety for used
- Customized height from 12 tiers to 20 tiers
- Layers fixed on the tube by strong spot welding, stable and durable
- Fitted with four castors of which two have brakes.
- 16pcs 40x60 pans/ 32pcs 40x60 pans



code	CBM	mm
110201	0.087	610x468xH1700
110202	0.090	658x810xH1700



ROTARY OVEN RACK TROLLEY WITH WINDOW



code	CBM	mm
111201	0.184	510x730xH1800
111202	0.259	650x860xH1800



TRANSPORT



ROTARY OVEN RACK TROLLEY WITH WINDOW




code	CBM	mm
111301	0.254	670x840xH1850



12-TIER WIRE RACK TROLLEY

- Material : stainless steel 201
- Suitable for packing the GN pan , fast food tray
- Customized height from 12 tiers to 20 tiers.
- Side panels designs for your selection
- max loading 8kg/shelf
- Fitted with 4pcs TPR / PVC swivel castors, 2 with brakes



110801



110901



111001



111101



-Suitable for GN size 1/1 x 65



-Spot welding to connect the tubes and tube



-Bumper protector and wheels with brake

code	CBM	mm	Remark
110801	0.174	380x550xH1800	12tiers, single row, w/o side panels
111901	0.205	380x550xH1800	12tiers single row, wi th side panels
111001	0.349	850x570xH1800	12tiers, dual rows, w/o side panes
111101	0.410	850x 570xH1800	12tiers, dual rows, with side panes



-Design to packing plates and trays



-Each tubes fitted with the anti-skidding pipe



-Suitable for the plates no less than dia.230mm



-With 4pcs swivel castors, 2 with brakes

PLATES RACK TROLLEY ,FOR DISH PLATES & FAST FOOD TRAY



code	CBM	meas.	mm	Remark
180101	0.181	755x640xH375	606x598xH1635	20 tiers, for 80pcs dia.230mm plates



7-TIER BAKERY TROLLEY



code	CBM	mm
170101	0.085	740x460xH1800



RACK TROLLEY FOR DISHWASHER BASKETS



code	CBM	Remark	mm
110601	0.052	4 tiers	505x550xH 1000
110602	0.096	7 tiers	505x550xH 1800
110501	0.178	9tiers, dual rows	1095x505xH1700


18-TIER ALUMINUM BAKING TROLLEY

- In order to pack and storage the baking pans / trays
- Max loading 150kg
- Aluminum baking trolley
- Smooth edge without sharp burs , safety for used
- Customized height from 12 tiers to 20 tiers
- Layers fixed on the tube by strong screw ,stable and durable
- Fitted with four castors of which two have brakes.
- With / without door designed for meeting different demands
- Surface: Anodizing / Suitable for 600x400mm pans
- Flat pack delivery.
- With PC board / door, fixed layers



code	CBM	mm
170105	0.052	665x525xH1790

Runner Option:



Big L



-Door designed



-Wheel with brakes



-Layers fixed by screw



For 40x60mm Bakery pan



9 TIERS RACK TROLLEY FOR DISHWASHER BASKETS

code	mm	mm
805109	0.104	605x465xH980



15 TIERS RACK TROLLEY FOR DISHWASHER BASKETS

code	mm	mm
805020	0.144	605x465xH1485



18 TIERS RACK TROLLEY FOR DISHWASHER BASKETS

code	mm	mm
805021	0.175	605x465xH1790

2-TIER WOODEN TROLLEY

- Material: oak
- Fungus proofing
- Easy maintenance
- Anti-corrosion
- Include 4 TPR castors, dia. 100mm, 2 with brakes
- Color light/bark/brown
- Flatpack delivery



code	CBM	mm
102013	0.144	700x500xH800
102014	0.144	700x500xH800




2-TIER WOODEN TROLLEY

- Material: oak
- Fungus proofing
- Easy maintenance
- Anti-corrosion
- Include 4 TPR castors, dia. 100mm, 2 with brakes
- Color light/bark/brown
- Flatpack delivery



code	CBM	mm
102015	0.220	900x450xH800
102016	0.220	900x450xH800





190301



190302

BASE FRANE

- Material; Stainless steel
- Number bf drawers:4
- Format dawers: 600 x 400 mm
- Size: 675 x835 X 855 mm
- Weight: 14 kg



code	mm
190301	675 x835 X 855

BASE FRANE

- Material; Stainless steel
- Number bf drawers:4
- Format dawers: 600 x 400 mm
- Size: 675 x835 X 855 mm
- Weight: 14 kg



code	mm
190302	675 x835 X 855



MULTIFUNCTIONAL TROLLEY



code	CBM	mm
120401	0.065	820x440x950



HEAVY DUTY PLATFORM TROLLEY (KNOCK-DOWNED)



code	CBM	mm
120501	0.095	910x600x920
120502	0.057	730x480x890

HEAVY DUTY PLATFORM TROLLEY (FOLDING TYPE)

- Material: Stainless steel 201 and polypropylene
- Fitted with 4 PVC heavy duty swivel castors
- Round tube handles
- Anti-skid design on the PP board
- Folding structure
- Qty / ctn :1pcs
- Flat pack delivery



code	CBM	mm
120301	0.095	910x600x920
120302	0.057	730x480x890





FOLDABLE PLATFORM TROLLEY

-Material: stainless steel 201

-Tube: dia.38 mm,0.8mm thickness

-S/S board: Ss201, 0.8mm thickness



code	CBM	mm
120301	0.076	820x520x970
120302	0.059	720x450x850



KNOCK-DOWNED PLATFORM CART

-Material: stainless steel 201

-Tube: dia.38 mm,0.8mm thickness

-S/S board: Ss201, 0.8mm thickness



code	CBM	mm
120501	0.092	900x550x770

PLATES COLLECTING TROLLEY



code	CBM	mm
140601	0.088	975x515x800



KNOCK-DOWNED PLATFORM CART



code	CBM	mm
140101	0.423	720x520x930

PLATES COLLECTING TROLLEY



code	CBM	mm
140102	0.333	810x515x905



BTP-1

Hotel Luggage Service Trolley

- tube: $\phi 38 \times 0.8$ mm thickness
- s/s 201
- frame: 0.8mm thickness
- painted steel

SILVER **GOLD**



code	mm	catons size (m) (L x W x H)	pc / ctn
BTP-1	900x550x1800	1.61x0.69x0.42	1

Hotel Luggage Service Trolley

- tube: $\phi 51 \times 0.8$ mm thickness
- s/s 201
- frame: 0.8mm thickness
- painted steel

SILVER **GOLD**



code	mm	catons size (m) (L x W x H)	pc / ctn
BTP-1	1050x620x1860	1.61x0.69x0.42	1



Hotel Luggage Service Trolley

- tube: $\phi 38 \times 0.8$ mm thickness
- s/s 201
- frame: 0.8mm thickness
- painted steel

SILVER **GOLD**



code	mm	catons size (m) (L x W x H)	pc / ctn
BTP-2	900x550x1800	1.61x0.69x0.42	1

Hotel Luggage Service Trolley

- tube: $\phi 51 \times 0.8$ mm thickness
- s/s 201
- frame: 0.8mm thickness
- painted steel

SILVER **GOLD**



code	mm	catons size (m) (L x W x H)	pc / ctn
BTP-2	1050x620x1860	1.61x0.69x0.42	1



BTP-12

Hotel Luggage Service Trolley

- tube: $\phi 38 \times 0.8$ mm thickness
- s/s 201
- frame: 0.8mm thickness
- painted steel

SILVER **GOLD**



code	mm	catons size (m) (L x W x H)	pc / ctn
BTP-12	900x550x1800	0.96x0.20x0.60	1

Hotel Luggage Service Trolley

- tube: $\phi 51 \times 0.8$ mm thickness
- s/s 201
- frame: 0.8mm thickness
- painted steel

SILVER **GOLD**



code	mm	catons size (m) (L x W x H)	pc / ctn
BTP-12	1050x620x1800	1.11x0.20x0.67	1





BTP-5

Hotel Luggage Service Trolley

- tube: $\phi 51 \times 0.8$ mm thickness
- s/s 201
- frame: 0.8 mm thickness
- painted steel

SILVER GOLD



code	mm	catons size (m) (L x W x H)	pc / ctn
BTP-5	500x380x1220	0.38x0.25x1.20	1



BTP-5A

Hotel Luggage Service Trolley

- tube: $\phi 51 \times 0.8$ mm thickness
- s/s 201
- frame: 0.8 mm thickness
- painted steel

SILVER GOLD



code	mm	catons size (m) (L x W x H)	pc / ctn
BTP-5A	500x380x1220	0.38x0.25x1.20	1



BTP-6

Hotel Luggage Service Trolley

- tube: $\phi 51 \times 0.8$ mm thickness
- s/s 201
- frame: 0.8 mm thickness
- painted steel

SILVER GOLD



code	mm	catons size (m) (L x W x H)	pc / ctn
BTP-3	500x380x1220	0.38x0.25x1.2	1



BTP-9

Hotel Luggage Service Trolley

- tube: $\phi 51 \times 0.8$ mm thickness
- s/s 201
- frame: 0.8 mm thickness
- painted steel

SILVER GOLD



code	mm	catons size (m) (L x W x H)	pc / ctn
BTP-9	1050x620x900	1.11x0.67x0.23	1



POST BARRIER

Controlled the crowd & Temporary passage



WALL MOUNTED POST BARRIER

- Help to control the crowd and keep a safe social distance (Its function perfectly satisfy the requirement of keep distance by every government)
- Equipped with four-way expansion head , it is very convenient to connect them together
- Locking belt ends to prevent accidental release of belt
- Stainless steel materials for rust-proof and durable use
- Used as the temporary change of entrance and exit



code	CBM	mm
150101	0.026	φ 63xH130
150102	0.026	φ 63xH130



POST BARRIERS

- Help to control the crowd and keep a safe social distance (Its function perfectly satisfy the requirement of keep distance by every government)
- Equipped with four-way expansion head , it is very convenient to connect them together
- Locking belt ends to prevent accidental release of belt
- Heavy duty base for more steady
- Weighted base (5-6 kg) features anti-slip rounded stanchion in place.
- Stainless steel materials for rust-proof and durable use
- Used as the temporary change of entrance and exit
- Usage: Supermarket, hotel ,transport station, bank ,school, kinder garden ,restaurant ,airport, exhibition building, commercial centers , movie theaters , etc.....

Nylon belt color can be customized, length 2m / 3m / 5m are available)



code	CBM	mm
150201	0.040	320xH890
150202	0.040	320xH890
150203	0.040	320xH920
150204	0.040	350xH890
150205	0.040	350xH890
150206	0.040	350xH890





POST BARRIER



code	CBM	mm
150301	0.040	φ 320xH890
150302	0.040	φ 350xH890



POST BARRIER



code	CBM	mm
150401	0.044	φ 350xH890
150402	0.044	φ 350xH890



150505 - 150506

150501 - 150502

150503 - 150504

POST BARRIER



code	CBM	mm
150501	0.049	φ 320xH1000
150502	0.049	φ 350xH1000
150503	0.040	φ 320xH980
150504	0.040	φ 350xH980
150505	0.040	φ 320xH860
150506	0.040	φ 350xH860



-Item no. from 150501 to 150502
-Fitted with tube in 1m height



-Item no. from 150503 to 150504
-Fitted with tube in 98cm height



-Item no. from 150505 to 150506
-Fitted with tube in 86cm height



ROPE

code	CBM	mm
150601	0.077	φ 32x1500
150602	0.107	φ 38x1500
150603	0.077	φ 32x1500



SS201+PU Leather



Iron+PU Leather



STORAGE RACK

S.S.

code	CBM	mm
350103-2	0.041	610x405xH506
350103-4	0.041	610x405xH506

STORAGE RACK

S.S.


code	CBM	mm
350102	0.095	500x450xH700



STORAGE / LUGGAGE RACK

S.S.

code	CBM	mm
350103	0.095	610x405xH506



-X frame designed
for offering stable structure





INSULATED CONTAINER TOP LOADING STYLE LAUNDRY TROLLEY

- Fitted with 4 TPR wheels,2 with brakes
- With 4 tubes and supporting frame
- Nylon bag with button, yellow or blue color available
- Assembled or fully welding

S.S.

code	CBM	mm
130201	0.084	910 x560xH920





CONE LAUNDRY TROLLEY

- Fitted with 4 PVC wheels,2 with brakes
- With 4 tubes and supporting frame
- Nylon bag with button, yellow or blue color available
- Assembled or fully welding

S.S.

code	CBM	mm
130401	0.073	900 x650xH850



ROUND LAUNDRY TROLLEY

- Fitted with 4 TPR wheels,2 with brakes
- With 4 tubes and supporting frame
- Nylon bag with button, yellow or blue color available
- Assembled or fully welding

S.S.

code	CBM	mm
130301	0.063	600x600xH810
130302	0.054	500x500xH810



X-FRAME LAUNDRY TROLLEY

- Fitted with 4 TPR wheels,2 with brakes
- With 4 tubes and supporting frame
- Nylon bag with button, yellow or blue color available
- Assembled or fully welding


S.S.

code	CBM	mm
130101	0.156	770x550xH1020
130102	0.114	600x600xH1060



WORK TABLE

- Material: Stainless steel 201 / 304 / Galvanized is available
- S/S Board thickness: 0.8mm / 1.0mm / 1.2mm
- Reinforced bars for supporting the heavy duty
- S/S Tube thickness: 0.8 mm,galvanized tube is 1.3mm
- Second floor is removable to everywhere
- Adjustable feet , stainless bullet feet or plastic bullet feet can be met
- Flat pack delivery



-Folded edge design,
without the straight angle



-Classical straight design
is available



ECONOMIC WORKING TABLE

In 600 Width


code	CBM	mm
301801	0.040	600x600xH850
301802	0.046	700x600xH850
301803	0.052	800x600xH850
301804	0.064	1000x600xH850
301805	0.077	1200x600xH850
301806	0.089	1400x600xH850
301807	0.095	1500x600xH850
301808	0.101	1600x600xH850
301809	0.114	1800x600xH850
301810	0.126	2000x600xH850

ECONOMIC WORKING TABLE

In 700 Width

code	CBM	mm
301901	0.046	600x700xH850
301902	0.053	700x700xH850
301903	0.060	800x700xH850
301904	0.074	1000x700xH850
301905	0.088	1200x700xH850
301906	0.103	1400x700xH850
301907	0.110	1500x700xH850
301908	0.117	1600x700xH850
301909	0.131	1800x700xH850
301910	0.145	2000x700xH850

ECONOMIC WORKING TABLE WITH BACK SPLASH



- Material: Stainless steel 201 / 304 / Galvanized is available
- S/S Board thickness: 0.8mm / 1.0mm / 1.2mm
- Reinforced bars for supporting the heavy duty
- S/S Tube thickness: 0.8mm,galvanized tube is 1.3mm
- Adjustable feet , stainless bullet feet or plastic bullet feet can be met
- Flat pack delivery



-Aluminum corner designed



-Pipe tube designed



ECONOMIC WORKING TABLE WITH BACK SPLASH In 600 Width

code	CBM	mm
302001	0.079	600x600xH850+100
302002	0.091	700x600xH850+100
302003	0.104	800x600xH850+100
302004	0.128	1000x600xH850+100
302005	0.153	1200x600xH850+100
302006	0.178	1400x600xH850+100
302007	0.190	1500x600xH850+100
302008	0.203	1600x600xH850+100
302009	0.227	1800x600xH850+100
302010	0.252	2000x600xH850+100

ECONOMIC WORKING TABLE WITH BACK SPLASH In 700 Width

code	CBM	mm
302101	0.091	600x700xH850+100
302102	0.105	700x700xH850+100
302103	0.120	800x700xH850+100
302104	0.148	1000x700xH850+100
302105	0.177	1200x700xH850+100
302106	0.205	1400x700xH850+100
302107	0.219	1500x700xH850+100
302108	0.234	1600x700xH850+100
302109	0.262	1800x700xH850+100
302110	0.291	2000x700xH850+100





BACKSPLASH GALVANIZED ROUND TUBE WORKBENCH

- Backsplash Height: 50mm
- Table top materia: ss304, T=1.2mm
- Supporting bar material: ss201,T=0.8mm
- Galvanized Second layer: T=1.0mm
- Galvanized tube: T=1.2mm

code	CBM	mm
HLB10111	0.068	760x610x660
HLB10112	0.099	760x915x660
HLB10113	0.131	760x1220x660
HL B10114	0.163	760x1525x660



SQUARE TUBE WORK TABLE W/O BACKSPLASH In 600 Width

code	CBM	mm
300701	0.060	600x600xH850
300702	0.070	700x600xH850
300703	0.099	800x600xH850
300704	0.115	1000x600xH850
300705	0.138	1200x600xH850
300706	0.160	1400x600xH850
300707	0.171	1500x600xH850
300708	0.186	1600x600xH850
300709	0.197	1800x600xH850
300710	0.218	2000x600xH850

SQUARE TUBE WORK TABLE WITH BACKSPLASH In 600 Width

code	CBM	mm
300801	0.096	600x600xH850+100
300802	0.111	700x600xH850+100
300803	0.124	800x600xH850+100
300804	0.145	1000x600xH850+100
300805	0.173	1200x600xH850+100
300806	0.200	1400x600xH850+100
300807	0.214	1500x600xH850+100
300808	0.245	1600x600xH850+100
300809	0.256	1800x600xH850+100
300810	0.284	2000x600xH850+100


In 700 Width

code	CBM	mm
300711	0.070	600x700xH850
300712	0.080	700x700xH850
300713	0.113	800x700xH850
300714	0.132	1000x700xH850
300715	0.158	1200x700xH850
300716	0.184	1400x700xH850
300717	0.196	1500x700xH850
300718	0.210	160x700xH850
300719	0.227	1800x700xH850
300720	0.252	2000x700xH850

In 700 Width

code	CBM	mm
300811	0.110	600x700xH850+100
300812	0.128	700x700xH850+100
300813	0.143	800x700xH850+100
300814	0.167	1000x700xH850+100
300815	0.200	1200x700xH850+100
300816	0.232	1400x700xH850+100
300817	0.248	1500x700xH850+100
300818	0.283	1600x700xH850+100
300819	0.297	1800x700xH850+100
300820	0.329	2000x700xH850+100





ECONOMY STYLE ROUND TUBE WORK TABLE WITHOUT BACKSPLASH

- Materia:SS201
- Table top thickness:0.5mm
- Second layer thickness:0.7mm
- Tube thickness : 0.8mm,Dia.43mm
- Second layer can't adjustable

In 600 Width

code	CBM	mm
HVB10201	0.089	600x600xH850
HVB10202	0.091	800x600xH850
HVB10203	0.106	1000x600xH850
HVB10204	0.127	1200x600xH850
HVB10205	0.158	1500x600xH850
HVB10206	0.189	1800x600xH850
HVB10207	0.209	2000x600xH850

In 700 Width

code	CBM	mm
HVB10208	0.076	600x700xH850
HVB10211	0.070	800x700xH850
HVB10212	0.087	1000x700xH850
HVB10209	0.104	1200x700xH850
HVB10213	0.130	1500x700xH850
HVB10214	0.155	1800x700xH850
HVB10210	0.172	2000x700xH850



ECONOMY STYLE ROUND TUBE WORK TABLE WITH BACKSPLASH

- Materia:SS201
- Table top thickness:0.6mm
- Second layer thickness:0.7mm
- Tube thickness : 0.8mm,Dia.43mm
- Second layer can't adjustable

In 600 Width

code	CBM	mm
HVB10101	0.089	600x600xH850+100
HVB10102	0.091	800x600xH850+100
HVB10103	0.106	1000x600xH850+100
HVB10104	0.127	1200x600xH850+100
HVB10105	0.158	1500x600xH850+100
HVB10106	0.189	1800x600xH850+100
HVB10107	0.209	2000x600xH850+100

In 700 Width

code	CBM	mm
HVB10108	0.103	600x700xH850+100
HVB10111	0.099	800x700xH850+100
HVB10112	0.123	1000x700xH850+100
HVB10109	0.147	1200x700xH850+100
HVB10113	0.183	1500x700xH850+100
HVB10114	0.183	1800x700xH850+100
HVB10110	0.244	2000x700xH850+100



SQUARE TUBE FOLDING WORK TABLE W/O BACKSPLASH



- Material: Domestic SS 201 Top + wood
- Board thickness: 0.8mm
- Tube thickness: 0.9mm
- Adjustable feet
- Pcs/Ctn: 1



In 600 Width

code	CBM	mm
300901	0.082	700x700xH910
300902	0.102	1000x700xH910
300903	0.122	1200x700xH910
300904	0.141	1400x700xH910
300905	0.151	1500x700xH910

In 700 Width

code	CBM	mm
300906	0.071	600x600xH910
300907	0.088	1000x600xH910
300908	0.105	1200x600xH910
300909	0.122	1400x600xH910
300910	0.131	1500x600xH910



WIRE BASE WORK TABLE-2 TIERS

Material: SS201+Chrome Wire



code	CBM	mm
302601	0.096	1000x700xH900
302602	0.124	1300x700xH900
302603		1600x700xH900

WIRE BASE WORK TABLE-3 TIERS

Material: SS201+Chrome Wire



code	CBM	mm
302701	0.127	1000x700xH900
302702	0.163	1300x700xH900
302703		1600x700xH900



-Round edge design



-Removable shelf design



-Rubber feet



-Fasten without screw







320001



320002



320003



320004



320005

WORKBENCH(WITH DRAWER)

code	mm
320001	1000x600xH850
320002	1200x600xH850
320003	1400x600xH850
320004	1600x600xH850
320005	1800x600xH850



320101




320102



320103




320104




320105

WORKBENCH(WITH DRAWER&BACKREST)

code	mm
320101	1000x600xH850+100
320102	1200x600xH850+100
320103	1400x600xH850+100
320104	1600x600xH850+100
320105	1800x600xH850+100



320201




320202

WORKBENCH(WITH DRAWER)

code	mm
320201	1600x600xH850
320202	1800x600xH850



320301



320302

WORKBENCH(WITH DRAWER&BACKREST)

code	mm
320301	1600x600xH850+100
320302	1800x600xH850+100





WORKBENCH(WITH DRAWER&BACKREST)

code	mm
320501	600x600xH850
320502	1200x600xH850
320503	1500x600xH850
320504	2000x600xH850

320501



320502



320503



320504

WORKBENCH(WITH DRAWER&BACKREST)

code	mm
320601	600x600xH850+100
320602	1200x600xH850+100
320603	1500x600xH850+100
320604	2000x600xH850+100

320601



320602



320604




320603



WARM CABINET

code	mm
320701	1000x600xH850
320702	1400x600xH850
320703	2000x600xH850



320701



320702



320703

WARM CABINET(WITH DRAWER&BACKREST)

code	mm
320801	1000x600xH850+100
320802	1400x600xH850+100
320803	2000x600xH850+100



320801



320802




320803





320901



320902



320903

WALL CABINET

code	mm
320901	600x400xH600
320902	1200x400xH600
320903	1600x400xH600

WALL CABINET

code	mm
321001	600x400xH600
321002	1200x400xH600
321003	1600x400xH600
321004	2000x400xH600



321001



321002



321003



321004

RESTAURANT EXHAUST HOOD



- High grade 201 or 304 stainless steel construction, anti-corrosion, heavy duty and durable.
- Brushed stainless steel finish. It is easy to clean.
- Wall mounted exhaust hood, easy to install.
- Special for the commercial kitchen, widely used in restaurant, hotel, canteen, fast food shops, catering company etc.



2022125



2022125

RESTAURANT EXHAUST HOOD

In 700 Width

code	CBM	mm
2022122	0.15	800*700*450
2022123	0.18	1000*700*450
2022124	0.22	1200*700*450
2022125	0.26	1400*700*450
2022126	0.29	1600*700*450
2022127	0.33	1800*700*450
2022128	0.36	2000*700*450
2022129	0.40	2200*700*450
2022130	0.44	2400*700*450
2022131	0.47	2600*700*450
2022132	0.51	2800*700*450
2022133	0.54	3000*700*450

RESTAURANT EXHAUST HOOD

In 900 Width

code	CBM	mm
2022134	0.19	800*900*450
2022135	0.23	1000*900*450
2022136	0.28	1200*900*450
2022137	0.33	1400*900*450
2022138	0.7	1600*900*450
2022139	0.42	1800*900*450
2022140	0.46	2000*900*450
2022141	0.51	2200*900*450
2022142	0.56	2400*900*450
2022143	0.60	2600*900*450
2022144	0.65	2800*900*450
2022145	0.69	3000*900*450





SINK SERIES

code	mm
321101	1200x600xH850+100



SINK SERIES

code	mm
321201	1200x600xH850+100



SINK SERIES

code	mm
321301	1200x600xH850+100



SINK SERIES

code	mm
321401	1400x700xH850+100



SINK SERIES

code	mm
321501	1200x600xH850



SINK SERIES

code	mm
321601	1400x700xH850





321701




321702



321703

SINK SERIES

code	mm
321701	1400x600xH850+100
321702	1600x600xH850+100
321703	1800x600xH850+100



321801



321802



321803

SINK SERIES



code	mm
321801	1400x600xH850+100
321802	1600x600xH850+100
321803	1800x600xH850+100






SINK SERIES

code	mm
321901	1400x600xH850+100
321902	1600x600xH850+100
321903	1800x600xH850+100



SINK SERIES

code	mm
322001	1400x600xH850+100
322002	1600x600xH850+100
322003	1800x600xH850+100





322301



322302



322303

SINK SERIES

code	mm
322301	600x700xH950
322302	700x700xH950
322303	800x700xH950



322401




322502




322403

SINK SERIES


code	mm
322401	1000x700xH950
322402	1200x700xH950
322403	1400x700xH950



322501



322502



322503

SINK SERIES



code	mm
322501	1000x700xH950
322502	1200x700xH950
322503	1400x700xH950





SINK SERIES

code	mm
322601	1400x600xH950
322602	1600x600xH950
322603	1800x600xH950



322601





322602




322603

SINK SERIES

code	mm
322701	1400x600xH950
322702	1600x600xH950
322703	1800x600xH950



322701



322702



322703



322801

SINK SERIES

code	mm
322801	2000x600xH950





A PREPARATION TABLE USED FOR SCRAPPING, SORTING, AND PREWASHING OF DISHWARE.

- Clearing table with scrap block and ring.
- Top shelf for empty rack storage.
- Sloped shelf for racks in use.
- Constructed entirely in 18/10 AISI 304 heavy gauge 12/10 stainless steel.
- Available on wheels if required



code	mm
350001	1800x780xH880



PRERINSE OF DISHWARE.

- Flexible spray hose.
- Cold/hot water faucet. 1/2"
- Gas fitting (mm 21).
- Can be mounted on all prewash tables.



code	mm
350002	800x300xH10



A PREPARATION TABLE USED FOR SCRAPPING, SORTING, AND PREWASHING OF DISHWARE.

- Sink complete with drain.
- With prerinse hose attachment.
- Back splash, and scrap block.
- Lower rack shelf.
- Can be mounted either left to right or vice versa. (Clarify when ordering)
- Constructed entirely in 18/10 AISI 304 12/10 heavy gauge stainless steel.



code	mm
350101	1800x780xH880



A PREPARATION TABLE FOR THE SOAKING AND PREWASHING OF DISHWARE.

- Sink complete with drain.
- With prerinse hose attachment.
- Back splash, lower rack shelf.
- Can be mounted either left to right or vice versa. (Clarify when ordering).
- Available in two lengths: 1.200, 1.800 mm.
- Constructed entirely in 18/10 AISI 304 heavy gauge 12/10 stainless steel.



code	mm
350201	1200x780xH880
350202	1800x780xH880





A COMPACT MODEL OF THE SORTING TABLE WITH OVERSHEFF.

- Clearing table with scrap block and ring.
- Top shelf for empty rack storage.
- Sloped shelf for racks in use.
- Constructed entirely in 18/10 AISI 304 heavy gauge 12/10 stainless steel.
- Available on wheels if required



code	mm
350301	1700x1150xH880
350302	2200x1150xH880
350303	2700x1150xH880



A COMPACT MODEL OF THE SORTING TABLE WITH OVERSHEFF.

- Clearing table with scrap block and ring.
- Top shelf for empty rack storage.
- Sloped shelf for racks in use.
- Constructed entirely in 18/10 AISI 304 heavy gauge 12/10 stainless steel.
- Available on wheels if required



code	mm
350501	1070x630xH1830



A COMPACT MODEL OF THE SORTING TABLE WITH OVERSHEFF.

- Top two sided rack over shelf.
- Table top with scrap block for easy scrapping.
- Possibility of joining a table at either side of the sorting table.
- Possibility of connecting two machines at both sides for peak periods.
- Available in three lengths 1.700, 2.200, 2.700 mm.
- Constructed in 18/10 AISI 304 heavy gauge 12/10 S/S.
- Side borders 30 mm high.



code	mm
350311	2700x1150xH1470
350312	2200x1150xH1470
350313	2700x1150xH1470



INCLINED SHELF WITH FLOOR MOUNTS FOR THE PLACEMENT OF GLASS AND CUP RACKS.

- Fixed to floor.
- Inclined shelf with water drain.
- Available in three lengths 1.070, 1.570 and 2.070 mm.
- Constructed entirely in heavy gauge 18/10 AISI 304 S/S.
- Stainless steel 40x40 S/S frame.



code	mm
350401	1070x525xH1880
350402	1570x525xH1880
350403	1070x525xH1880





ROUND TUBE KITCHEN SINK(SINGLE BOWL)

code	CBM	mm	bowl size
310101	0.165	600x600xH850+100	400x400x250
310102	0.219	700x700xH850+100	500x500x250
310103	0.248	700x700xH850+100	500x500x300



ROUND TUBE KITCHEN SINK(DOULE BOWL)

code	CBM	mm	bowl size
310201	0.266	1000x600xH850+100	400x400x250
310202	0.366	1200x700xH850+100	500x500x250
310203	0.413	1200x700xH850+100	500x500x300



ROUND TUBE KITCHEN SINK(THREE BOWLS)

code	CBM	mm	bowl size
310401	0.393	1500x600xH850+100	400x400x250
310402	0.541	1800x700xH850+100	500x500x250
310403	0.611	1800x700xH850+100	500x500x300



ROUND TUBE KITCHEN SINK(SINGLE BOWL)

code	CBM	mm	bowl size
310304	0.266	1000x600xH850+100	400x400x250
310305	0.366	1200x700xH850+100	500x500x250
310306	0.413	1200x700xH850+100	500x500x300



HAND-WASHING BASIN

18/10

code	CBM	mm
311201	0.052	400x300xH400






KITCHEN SINK

- Material: stainless steel 201 or 304 is available
- Mold drawing for the bench and sink
- Square tube with adjustable bullet feet
- With the back splash
- With the second floor for putting the goods on it
- High edge for preventing over flow
- Adjustable feet
- Bowl in 250mm or 300mm depth
- The location of the drain or hole for your reference

KITCHEN SINK (RIGHT BOWL)




code	CBM	Bowl size	mm
310601	0.273	400x400x250	1000x600xH850+100
310602	0.375	500x500x250	1200x700xH850+100
310603	0.422	500x500x300	1200x700xH850+100



KITCHEN SINK (LEFT BOWL)




code	CBM	Bowl size	mm
310604	0.273	400x400x250	1000x600xH850+100
310605	0.375	500x500x250	1200x700xH850+100
310606	0.422	500x500x300	1200x700xH850+100



KITCHEN SINK (DOUBLE BOWL)



code	CBM	Bowl size	mm
310607	0.273	400x400x250	1000x600xH850+100
310608	0.375	500x500x250	1200x700xH850+100
310609	0.422	500x500x300	1200x700xH850+100



COMMERCIAL KITCHEN SINK

- Mould drawing for the bench and sink
- High edge for preventing over flow
- Adjustable feet
- Bowl in 250mm depth



code	CBM	bowl size	mm
310501	0.169	400x400x250	600x600xH850+100
310502	0.225	500x500x250	700x700xH850+100
310503	0.253	500x500x300	700x700xH850+100



KITCHEN SINK WITH REFUSE BAG TROLLEY



code	CBM for trolley	CBM for sink	mm
312001	0.141	0.391	1800x600xH850+100





KITCHEN SINK(2PCS RIGHT BOWLS)



code	CBM	bowl size	mm
310911	0.403	400x400x250	1500x600xH850+100
310912	0.555	500x500x250	1800x700xH850+100
310913	0.624	500x500x300	1800x700xH850+100

KITCHEN SINK(2PCS LEFT BOWLS)



code	CBM	bowl size	mm
310901	0.403	400x400x250	1500x600xH850+100
310902	0.555	500x500x250	1800x700xH850+100
310903	0.624	500x500x300	1800x700xH850+100

KITCHEN SINK(3PCS BOWLS)



code	CBM	bowl size	mm
310801	0.403	400x400x250	1500x600xH850+100
310802	0.555	500x500x250	1800x700xH850+100
310803	0.624	500x500x300	1800x700xH850+100



DEEP DRAW SQUARE SINK






code	CBM	mm
311201	0.054	500x400xH250
311202	0.068	500x500xH250
311203	0.081	500x500xH300
311204	0.055	450x450xH250
311205	0.066	450x450xH300
311206	0.044	400x400xH250
311207	0.053	400x400xH300



The drawn



Nice polishing finish after welding



DEEP DRAW SQUARE SINK



code	CBM	mm
311301	0.054	500x400xH250
311302	0.068	500x500xH250
311303	0.081	500x500xH300
311304	0.055	450x450xH250
311305	0.066	450x450xH300
311306	0.044	400x400xH250
311307	0.053	400x400xH300





ENCLOSED BASE WORK CUPBOARD S.S.

code	CBM	mm
340101	0.205	1500x600xH800+150
340102	0.218	1600x600xH800+150
340103	0.245	1800x800xH800+150



ENCLOSED BASE WORK CUPBOARD S.S.

code	CBM	mm
340105	0.300	1000x600xH800+150



KITCHEN SINK(SINGLE BOWL) S.S.

code	CBM	mm
310304	0.300	1000x600xH850+100
310305	0.404	1200x700xH850+100
310306	0.457	1200x700xH850+100



SINK NET S.S.

code	mm
310610	470x410
310611	470x460
310612	495x390
310613	410x200
310614	410x240
310615	405x515



KITCHEN SINK(3PCS BOWLS) S.S.

code	CBM	mm
311001	0.292	500x590xH900



KITCHEN SINK S.S.

code	CBM	mm
313001	0.243	500x500xH875



KNEE OPERATED WASH BASIN

- Other sizes and materials are available
- With knee-operated faucet and soap dispenser.
- 1/2" water connection.
- Basin and backsplash made of 18/10 stainless steel.
- Optional:with warm&cold water accessories.



311102



311101

KNEE OPERATED WASH BASIN-SQUARE BOWL

code	CBM	mm
311101	0.089	400x330xH570

KNEE OPERATED WASH BASIN-ROUND BOWL

code	CBM	mm
311102	0.059	500x400xH225



311201



311202



FOOT OPERATED HAND-WASHING BASIN

- Material : Stainless steel 304 or 201 is available
- Portable and removable design with 2pcs 2" wheel
- Brushed surface treatment
- Foot operated without any electricity
- Fitted with 2pcs 10-15L barrels , one for stock the clean water one for packing the dirty water
- Especially suit for outdoor activities using, like the picnic , parties, mobile washing stations

code	mm
311201	729x520xH1230
311202	520x459xH1230





WALL MOUNTED SHELF (BOARD TYPE)

-Folding type



code	CBM	mm
330901	0.016	600x300
330902	0.021	800x300
330903	0.027	1000x300
330904	0.032	1200x300
330905	0.037	1400x300
330906	0.040	1500x300
330907	0.042	1600x300
330907	0.047	1800x300

WALL MOUNTED SHELF (BOARD TYPE)

-Folding type



code	CBM	mm
330909	0.021	600x450
330910	0.028	800x450
330911	0.035	1000x450
330912	0.042	1200x450
330913	0.048	1400x450
330914	0.052	1500x450
330915	0.055	1600x450
330916	0.062	1800x450



WALL MOUNTED SHELF (BOARD TYPE)

-Folding type



code	CBM	mm
331101	0.016	600x300
331102	0.021	800x300
331103	0.027	1000x300
331104	0.032	1200x300
331105	0.037	1400x300
331106	0.040	1500x300
331107	0.042	1600x300
331108	0.047	1800x300

WALL MOUNTED SHELF (BOARD TYPE)

-Folding type



code	CBM	mm
331009	0.021	600x450
331010	0.028	800x450
331011	0.035	1000x450
331012	0.042	1200x450
331013	0.048	1400x450
331014	0.052	1500x450
331015	0.055	1600x450
331016	0.062	1800x450






WALL MOUNTED HOOK

Material: Plastic+SS430+magnet

S.S.

code	CBM	pcs/ctn	mm
360101	0.020	36	13"
360102	0.019	24	18"
360103	0.025	24	24"



WALL MOUNTED BILL RAIL

S.S.

code	CBM	material	mm
331301	0.001	Ss201	300x80
331302	0.002	SS201	500x80
331303	0.002	SS201	800x80
331304	0.001	SS201	1000x80
331305	0.002	SS201	1200x80
331306	0.002	SS304	300x80
331307	0.001	SS304	500x80
331308	0.003	SS304	800x80
331309	0.001	SS304	1000x80
331310	0.003	SS304	1200x80



SPICE SHELVES FOR GN 1/6 (EXCLUDE GN PANS)

S.S.

code	CBM	PCS/CTN	mm
330801	0.015	3	600x300x2T
330802	0.020	4	800x300x2T
330803	0.024	5	1100x300x2T
330804	0.029	6	1200x300x2T
330805	0.034	6	1400x300x2T
330806	0.036	7	1500x300x2T
330807	0.038	7	1600x300x2T
330808	0.043	8	1800x300x2T



-Railway design for hanging the GN pan



-Front view of packing the GN



WALL MOUNTED SHELF (BOARD TYPE) S.S.

code	CBM	mm
330101	0.019	600×300×2FEET
330102	0.028	900×300×2FEET
330103	0.037	1200×300×2FEET
330104	0.046	1500×300×2FEET
330105	0.055	1800×300×2FEET
330106	0.064	300×2100×2FEET
330107	0.073	300×2400×2FEET



WALL MOUNTED SHELF (TUBE TYPE) S.S.

code	CBM	mm
330201	0.019	300×600
330202	0.028	300×900
330203	0.037	300×1200
330204	0.046	300×1500
330205	0.055	300×1800
330206	0.064	300×2100
330207	0.073	300×2400



Underneath view of the wall shelf

WALL MOUNTED SHELF (BOARD TYPE) S.S. YI

code	CBM	mm
330701	0.028	900×300×H40
330702	0.037	1200×300×H40
330703	0.046	1500×300×H40
330704	0.055	1800×300×H40



WALL MOUNTED SHELF (BOARD TYPE) S.S. YI

code	CBM	mm
330401	0.013	600×300
330402	0.019	900×300
330403	0.024	1200×300
330404	0.030	1500×300
330405	0.036	1800×300
330406	0.042	2100×300
330407	0.048	2400×300



WALL MOUNTED SHELF (TUBE TYPE)

code	CBM	mm
330301	0.006	600×300×2FEET
330302	0.009	900×300×2FEET
330303	0.012	1200×300×2FEET
330304	0.015	1500×300×3FEET
330305	0.018	1800×300×3FEET
330306	0.020	2100×300×3FEET
330307	0.023	2400×300×3FEET
330308	0.017	1500×350×3FEET
330309	0.020	1800×350×3FEET
330310	0.023	2100×350×3FEET
330311	0.026	2400×350×3FEET

SOLID WELDED WALL SHELF S.S. YI

code	CBM	mm
330601	0.037	600×236
330602	0.048	800×236
330603	0.060	1000×236
330604	0.072	1200×236
330605	0.083	1400×236
330606	0.090	1600×236





FODABLE WALL SHELF WITHOUT BACK

-Material: stainless steel 201

-Thickness : 0.8mm



code	mm
331501	300x300x2T
331502	400x300x2T
331503	500x300x2T
331504	600x300x2T
331505	700x300x2T
331506	800x300x2T
331507	900x300x2T
331508	1000x300x2T
331509	1100x300x2T
331510	1200x300x2T
331511	1300x300x2T
331512	1400x300x2T
331513	1500x300x3T
331514	1600x300x3T
331515	1700x300x3T
331516	1800x300x3T
331517	1900x300x3T
331518	2000x300x3T



FODABLE WALL SHELF WITH BACK

-Material: stainless steel 201

-Thickness : 0.8mm



code	mm
331601	300x300x2T
331602	400x300x2T
331603	500x300x2T
331604	600x300x2T
331605	700x300x2T
331606	800x300x2T
331607	900x300x2T
331608	1000x300x2T
331609	1100x300x2T
331610	1200x300x2T
331611	1300x300x2T
331612	1400x300x2T
331613	1500x300x3T
331614	1600x300x3T
331615	1700x300x3T
331616	1800x300x3T
331617	1900x300x3T
331618	2000x300x3T



-Material: stainless steel 201

-Thickness : 0.8mm

-Removable shelf distance, more flexible

-Two tiers structure, board type

-Fitted with 2 location bars

-PCS/CTN : 1pcs

-Flat pack delivery

ADJUSTABLE WALL SHELF



code	CBM	mm
330501	0.019	600x300x350
330502	0.025	800x300x350
330503	0.028	1000x300x350
330504	0.031	1200x300x350
330505	0.037	1400x300x350
330506	0.043	1500x300x350
330507	0.046	1600x300x350
330508	0.049	1800x300x350
330511	0.025	600x400x350
330512	0.033	800x400x350
330513	0.041	1000x400x350
330514	0.048	1200x400x350
330515	0.056	1400x400x350
330516	0.060	1500x400x350
330517	0.064	1600x400x350
330518	0.072	1800x400x350




MULTI-FUNCTION STORAGE SHELF

- Material : stainless steel 201 tube ,1.2mmT + Nylon + PP tray, 3.5mmT
- Adjustable shelf distance, offer more different selection, more flexible
- Assembly without screws,
- Can remove the tray and put the GN pans
- As the roles of storage rack and GN rack
- Add the handles and wheels, the storage rack / GN shelf can be removed conveniently
- Max loading: 50kg/shelf,total 200kg



code	CBM	mm
320701	0.091	846x372xH1610
320702	0.127	1196x372xH1610
320703	0.139	1546x372xH1610
320704	0.163	1896x372xH1610



Adjustable shelves distance



Removable PP tray



Suitable for 1/1,1/2,2/3,1/3 GN pan

REMOVABLE MULTI-FUNCTION STORAGE SHELF

- Material : stainless steel 201 tube ,1.2mmT + Nylon + PP tray, 3.5mmT
- Adjustable shelf distance, offer more different selection, more flexible
- Assembly without screws,
- Can remove the tray and put the GN pans
- As the roles of storage rack and GN rack
- Add the handles and wheels, the storage rack / GN shelf can be removed conveniently
- Max loading: 50kg/shelf,total 200kg



code	CBM	mm
320705	0.049	856x372xH1021
320706	0.057	1033x372xH1021



WIRE STORAGE RACK



code	CBM	mm
320601	0.097	1200x450xH1550
320602	0.137	1200x600xH1550
320603	0.130	1500x450xH1550
320604	0.171	1500x600xH1550
320605	0.156	1800x450xH1550
320606	0.204	1800x600xH1550



Round edge design



Removable shelf design



Rubber feet



Fasten without screw



ADJUSTABLE STORAGE RACK

- Ideal for home use or commercial purposes
- Customized size available
- Knocked-down structure, low transportation cost and easy to assemble
- Material: stainless steel 201, 0.9mm thickness
- Adjustable bullet feet



code	CBM	mm
320501	0.140	1200×500×H1550
320502	0.166	1200×600×H1550
320503	0.142	1500×500×H1550
320504	0.169	1500×600×H1550
320505	0.169	1800×500×H1550
320506	0.200	1800×600×H1550



Screw assemble the shelf



Rib rack



Adjustable bullet feet



SQUARE TUBE STORAGE RACK



code	CBM	mm
320401	0.170	1200×500×H1550
320402	0.201	1200×600×H1550
320403	0.170	1500×500×H1550
320404	0.201	1500×600×H1550
320405	0.196	1800×500×H1550
320406	0.233	1800×600×H1550



ROUND TUBE STORAGE RACK(BOARD TYPE)

code	CBM	mm
320201	0.140	1200×500×H1550
320202	0.166	1200×600×H1550
320203	0.142	1500×500×H1550
320204	0.169	1500×600×H1550
320205	0.169	1800×500×H1550
320206	0.200	1800×600×H1550




ROUND TUBE STORAGE RACK(LADDER TYPE)

code	CBM	mm
320301	0.140	1200×500×H1550
320302	0.166	1200×600×H1550
320303	0.142	1500×500×H1550
320304	0.169	1500×600×H1550
320305	0.169	1800×500×H1550
320306	0.200	1800×600×H1550

OIL-WATER SERPARATOR

- Material: stainless steel 304,brushed surface treatment
- Especially for the commercial kitchen used
- For separate the residue , oil and water, environment friendly
- Customized product sizes are available

code	CBM	mm
2500058	0.045	364x252x257
2500059	0.057	384x282x292
2500060	0.073	414x312x332





OIL-WATER SERPARATOR-GN STYLE S.S.

code	CBM	mm
250001	0.054	530x325x200

OIL-WATER SERPARATOR-GN STYLE S.S.

code	CBM	mm
250002	0.10	650x530x200





-Fasten the wasted bag by rubber ring



- Trash Trolley range provide an easy way to dispose trash.
- Waste bag holder is extraordinarily flexible to collect garbage anywhere by portable-lightweight structure.
- Material: stainless steel 201
- Multi functional using in hotel ,kitchen ,restaurant , school , street, hospital, supermarket ,etc.
- Portable and easy to operate it or deal with the waste bag

TRASH BIN BAG HOLDER



code	CBM	mm
140701	0.078	450 x600xH960



-Rubber pipe for anti-skid when food operating



-Tubes connected without gap




140702

- Material: Stainless steel 201
- Designed base on the 2-tier serving trolley
- Fitted with 4 TPR swivel castors,2 with brakes
- With the plastic bumper to protect the corner
- Shelf distance is 560mm
- Easy to transport the trash in a long distance and keep clean
- Suitable for the hotel ,outdoor, restaurant , lab, social occasions using
- Qty / ctn :1pcs

CLASSIFYING GARBAGE CART



code	CBM	mm
140702	0.062	845 x525xH940



-Fasten the waste bag by the rubber ring



-Stainless steel handle



-Swivel castors with 2 brakes

REFUSE-SACK CART



code	CBM	mm
140801	0.14	515x350x800
140802	0.09	515x260x700



CLEARING TROLLEY

-Clearing Trolleys with 5 plastic bowls are effective in dishes collecting and classification after meals. There are 5 structure designs for your choice.



ROUND TUBE DISH COLLECTING TROLLEY

code	CBM	mm
120901	0.070+0.058	850x455xH935
120902	0.087+0.058	950x475xH920
102903	0.107+0.058	1065x560xH970

SQUARE TUBE DISH COLLECTING TROLLEY

code	CBM	mm
120602	0.070+0.058	855x440xH935



ROUND TUBE DISH COLLECTING TROLLEY

code	CBM	mm
120701	0.070+0.058	800x440xH930

SQUARE TUBE DISH COLLECTING TROLLEY

code	CBM	mm
120702	0.070+0.058	810x440xH935



FLOUR TROLLEY



code	cap.	CBM	mm
190301	25kgs	0.152	500x500xH600
190302	50kgs	0.212	600x600xH600

STAINLESS STEEL GN HOLDER



GN HOLDER (3 GRIDS)

S.S.

code	CBM	mm
441501	0.035	575x250x210

GN HOLDER (4 GRIDS)

S.S.

code	CBM	mm
441601	0.046	690x250x210

GN HOLDER (6 GRIDS)

S.S.

code	CBM	mm
441701	0.78	990x250x210



GN HOLDER (4 GRIDS)

S.S.

code	CBM	mm
441504	0.024	425x245x250
441502	0.035	515x250x210
441503	0.045	610x250x210
441505	0.055	825x250x210
441506	0.066	990x250x210

GN HOLDER (6 GRIDS)

S.S.

code	CBM	mm
442002	0.066	760x325x160
442001	0.093	1100x325x160



GN HOLDER (4 GRIDS)

S.S.

code	CBM	mm
441801	0.047	345x425x240



GN HOLDER (6 GRIDS)

S.S.

code	CBM	mm
441901	0.068	515x425x240



DISPENSERS FOR HOTEL BUFFET AND PARTY

- Material outside:stainless steel304
- Material inside:refrigerant bags
- Keeps temperature below+8°C for at least afer storing in a freezer for at least 4 h
- Ideal for all buffets and outdoors
- suitable for direct contact with food or with GN pan substuion of ice cube,will not get the food wet while melling



STAINLESS STEEL JUICE DISPENSER PC S.S.

code	CBM	mm
412801	0.010	530x325x45 1/1
412802	0.005	325x265x45 1/2
412803	0.004	325x176x45 1/3
412804	0.003	265x165x45 1/4
412805	0.007	353x325x45 2/3



STAINLESS STEEL JUICE DISPENSER PC S.S.

code	CBM	mm
412901	0.036	550x345xH165
412902	0.052	550x345xH200
412903	0.065	550x345xH235
412904	0.052	550x345xH200



BUFFET BACK

S.S.

code	CBM	mm
410101	0.047	530x360x450



BUFFET BACK

S.S.

code	CBM	mm
410201	0.068	530x360x450



BUFFET BACK

S.S.

code	mm
410202	530x360x450



BUFFET BACK

S.S.

code	mm
410301	530x350x450



411603

411603



411602

411602



411601

STAINLESS BUFFET DISPLAY STAND

S.S.

code	mm
411601	300x300x105
411602	400x252x105
411603	300x300x105





DISPLAY STAND WITH SPOONS

S.S.

code	mm
410505	400x338x105

Product assortment: 16pcs small spoons(92.5x54.2x56.6mm)



DISPLAY STAND WITH SPOONS

S.S.

code	mm
410507	400x338x105

Product assortment: 16pcs small spoons(92.5x54.2x56.6mm)



DISPLAY STAND WITH SPOONS

S.S.

code	mm
410506	400x338x105

Product assortment: 12pcs big spoons(119x87x65mm)



DISPLAY STAND WITH SPOONS

S.S.

code	mm
410504	380x410x91

One 2/3 Melamine GN pan ,depth 65mm included



DISPLAY STAND WITH SPOONS

S.S.

code	mm
410502	665x430x105

One 1/1 Melamine GN pan , depth 40mm included





ACRYLIC FOOD DISPLAY STAND

S.S.

code	mm
412701	500x150x60
412702	500x150x110
412703	500x150x160



ACRYLIC FOOD DISPLAY STAND

S.S.

code	mm
412704	400x300x60
412705	400x300x110
412706	400x300x160



410901

STAINLESS STEEL BUFFET COMBINATION DISPLAY STAND

S.S.

code	mm
410901	530x360x450



411001

STAINLESS STEEL BUFFET COMBINATION DISPLAY STAND

S.S.

code	mm
411001	530x350x450



STAINLESS STEEL BUFFET COMBINATION DISPLAY STAND

S.S.

code	mm
411611	295x245x140



STAINLESS STEEL BUFFET COMBINATION DISPLAY STAND

S.S.

code	mm
431102	540x340x115



STAINLESS STEE COMDIMENT DISPENSER

- Organize and maintain condiments at the concession stand, snack bar,or ice cream parlor-It is perfect for holding hot dog, hamburger, and dessert toppings.
- Housed inside the stainless steel dispenser,you can be confident that the contents are covered and protected from contaminants.
- Rubber feet on the bottom of the dispenser also protect surfaces and prevent slipping.

code	CBM	capacity	mm
606301	0.005	2L	200×130×240
606302	0.014	4L	245×200×240
606303	0.021	6L	365×200×240
606304	0.027	8L	485×260×220



606302



-Food safety PP sauce bowl



606303



606304